

Resource List for CBT for PTSD Workshop

American Institute of Cognitive Therapy, New York
Maren Westphal, Ph.D.
November 2011

Links for downloadable CBT forms:

<http://www.appi.org/SiteCollectionDocuments/Books/62153/62153.pdf>

<http://www.oup.com/us/companion.websites/umbrella/treatments/hidden/mforms/?view=usa>

Key books on CBT for PTSD:

- Cloitre, M., Cohen, L. & Koenen, K. (2006). *Treating Survivors of Childhood Abuse: Psychotherapy for the Interrupted Life*, New York: Guilford Press.
- Foa, E., Hembree, E., & Rothbaum, B. (2007). *Prolonged Exposure Therapy for PTSD: Emotional Processing of Traumatic Experiences Therapist Guide (Treatments That Work)*, London: Oxford University Press.
- Follette, V. M., & Ruzek, J. I. (2006). *Cognitive-behavioral therapies for trauma* (2nd ed.). New York: Guilford Press.
- Resick, P. & Schnicke, M. (1996), *Cognitive Processing Therapy for Rape Victims: A Treatment Manual (Interpersonal Violence: The Practice Series)*, Newbury Park, CA: Sage Publications.
- Zayfert, C., & Becker, C. B. (2007). *Cognitive Behavioral Therapy for PTSD: A Case Formulation Approach*. New York: Guilford Press.

CBT Case formulation

- Kuyken,W., Padesky, C. A., & Dudley, R. (2009). *Collaborative case conceptualization: Working effectively with clients in cognitive-behavioral therapy*. New York: Guilford Press.
- Persons, J. B. (2008). *The case formulation approach to cognitive-behavior therapy*. New York: Guilford Press.

Textbooks

- Brewin, C. (2003). *Posttraumatic stress disorder: Malady or myth?* Yale: Yale University Press.
- Foa, E. B., Keane, T.M, Friedman, M.J., & Cohen, J.A, (Eds.). (2008). *Effective Treatments for PTSD* (2nd Ed). New York, NY: Guilford Press.
- Friedman, M. J., Keane, T. M., & Resick, P. A. (2007). *Handbook of PTSD: Science and Practice*. New York: Guilford Press

Highly recommended books with chapters on CBT for PTSD

- Barlow, D. H. (2008). *Clinical handbook of psychological disorders : a step-by-step treatment manual* (4th ed.). New York: Guilford Press.
- Leahy, R. L., & Holland, S. J. , & McGinn, L. (2011). *Treatment plans and interventions for depression and anxiety disorders, 2nd Ed.*. New York: The Guilford Press.

Theories of PTSD

- Brewin, C. R. (2001). A cognitive neuroscience account of posttraumatic stress disorder and its treatment. *Behaviour research and therapy*, 39(4), 373-393.
- Brewin, C. R. (2011a). The nature and significance of memory disturbance in posttraumatic stress disorder. *Annual review of clinical psychology*, 7, 203-227.
- Brewin, C. R., Dalgleish, T., & Joseph, S. (1996). A dual representation theory of posttraumatic stress disorder. *Psychological Review*, 103(4), 670.
- Brewin, C. R., Gregory, J. D., Lipton, M., & Burgess, N. (2010). Intrusive images in psychological disorders: Characteristics, neural mechanisms, and treatment implications. *Psychological Review*, 117(1), 210-232. doi: 10.1037/a0018113
- Brewin, C. R., & Holmes, E. A. (2003). Psychological theories of posttraumatic stress disorder. *Clinical Psychology Review*, 23(3), 339-376.
- Ehlers, A., & Clark, D. M. (2000). A cognitive model of posttraumatic stress disorder. *Behaviour research and therapy*, 38(4), 319-345.
- Foa, E. B., Steketee, G., & Rothbaum, B. O. (1989). Behavioral/cognitive conceptualizations of post-traumatic stress disorder. *Behavior therapy*, 20(2), 155-176.

Reviews of psychotherapies for PTSD

- Benish, S. G., Imel, Z. E., & Wampold, B. E. (2008). The relative efficacy of bona fide psychotherapies for treating post-traumatic stress disorder: A meta-analysis of direct comparisons. *Clinical Psychology Review*, 28(5), 746-758. doi: 10.1016/j.cpr.2007.10.005
- Bisson, J., Ehlers, A., Matthews, R., Pilling, S., Richards, D., & Turner, S. (2007). Systematic review and metaanalysis of psychological treatments for posttraumatic stress disorder. *British Journal of Psychiatry*, 190, 97-104.
- Bradley, R., Greene, J., Russ, E., Dutra, L., & Westen, D. (2005). A multidimensional meta-analysis of psychotherapy for PTSD. *Am J Psychiatry*, 162(2), 214-227. doi: 162/2/214 [pii]10.1176/appi.ajp.162.2.214
- Ehlers, A., Bisson, J., Clark, D. M., Creamer, M., Pilling, S., Richards, D., . . . Yule, W. (2010). Do all psychological treatments really work the same in posttraumatic stress disorder? *Clinical Psychology Review*, 30(2), 269-276. doi: 10.1016/j.cpr.2009.12.001
- Foa, E. B., Keane, T. M., Friedman, M. J., & International Society for Traumatic Stress Studies. (2000). *Effective treatments for PTSD : practice guidelines from the International Society for Traumatic Stress Studies*. New York: Guilford Press.

- Harvey, A. G., Bryant, R. A., & Tarrier, N. (2003). Cognitive behaviour therapy for posttraumatic stress disorder. *Clinical Psychology Review*, 23(3), 501-522.
- IOM. (2008). Treatment of posttraumatic stress disorder: An assessment of the evidence. Washington, DC: Institute of Medicine.
- Kar, N. (2011). Cognitive behavioral therapy for the treatment of post-traumatic stress disorder: a review. *Neuropsychiatric disease and treatment*, 7, 167.
- Wampold, B. E., Imel, Z. E., Laska, K. M., Benish, S., Miller, S. D., Flückiger, C., . . . Budge, S. (2010). Determining what works in the treatment of PTSD. *Clinical Psychology Review*, 30(8), 923-933. doi: 10.1016/j.cpr.2010.06.005

Reviews: Exposure Therapy

- Frueh, B. C., Turner, S. M., & Beidel, D. C. (1995). Exposure therapy for combat-related PTSD: A critical review. *Clinical Psychology Review*, 15(8), 799-817. doi: 10.1016/0272-7358(95)00049-6
- McLean, C. P., & Foa, E. B. (2011). Prolonged exposure therapy for post-traumatic stress disorder: a review of evidence and dissemination. *Expert review of neurotherapeutics*, 11(8), 1151-1163.
- Powers, M. B., Halpern, J. M., Ferenschak, M. P., Gillihan, S. J., & Foa, E. B. (2010). A meta-analytic review of prolonged exposure for posttraumatic stress disorder. *Clinical Psychology Review*, 30(6), 635-641.
- Tuerk, P. W., Yoder, M., Grubaugh, A., Myrick, H., Hamner, M., & Acierno, R. (2010). Prolonged exposure therapy for combat-related posttraumatic stress disorder: An examination of treatment effectiveness for veterans of the wars in Afghanistan and Iraq. *Journal of Anxiety Disorders*.

Clinical trials: Exposure therapy

- Bryant, R. A., Moulds, M. L., Guthrie, R. M., Dang, S. T., Mastrodomenico, J., Nixon, R. D. V., . . . Creamer, M. (2008). A randomized controlled trial of exposure therapy and cognitive restructuring for posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology*, 76(4), 695-703. doi: 10.1037/a0012616
- Foa, E. B., Hembree, E. A., Cahill, S. P., Rauch, S. A. M., Riggs, D. S., Feeny, N. C., & Yadin, E. (2005). Randomized trial of prolonged exposure for posttraumatic stress disorder with and without cognitive restructuring: Outcome at academic and community clinics. *Journal of Consulting and Clinical Psychology*, 73(5), 953-964. doi: 10.1037/0022-006x.73.5.953
- Foa, E. B., & Rauch, S. A. M. (2004). Cognitive Changes During Prolonged Exposure Versus Prolonged Exposure Plus Cognitive Restructuring in Female Assault Survivors With Posttraumatic Stress Disorder. *Journal of Consulting and Clinical Psychology*, 72(5), 879-884. doi: 10.1037/0022-006x.72.5.879
- Gerardi, M., Cukor, J., Difede, J. A., Rizzo, A., & Rothbaum, B. O. (2010). Virtual reality exposure therapy for post-traumatic stress disorder and other anxiety disorders. *Current psychiatry reports*, 1-8.

- Hagenaars, M. A., van Minnen, A., & Hoogduin, K. A. L. (2010). The impact of dissociation and depression on the efficacy of prolonged exposure treatment for PTSD. *Behaviour research and therapy*, 48(1), 19-27.
- Hinton, D. E., Hofmann, S. G., Rivera, E., Otto, M. W., & Pollack, M. H. (2011). Culturally adapted CBT (CA-CBT) for Latino women with treatment-resistant PTSD: A pilot study comparing CA-CBT to applied muscle relaxation. *Behaviour research and therapy*.
- Johnson, D. M., Zlotnick, C., & Perez, S. (2011). Cognitive behavioral treatment of PTSD in residents of battered women's shelters: Results of a randomized clinical trial. *Journal of Consulting and Clinical Psychology*, 79(4), 542.
- Moser, J. S., Cahill, S. P., & Foa, E. B. (2010). Evidence for Poorer Outcome in Patients With Severe Negative Trauma-Related Cognitions Receiving Prolonged Exposure Plus Cognitive Restructuring: Implications for Treatment Matching in Posttraumatic Stress Disorder. *The Journal of nervous and mental disease*, 198(1), 72-75.
- Nacasch, N., Foa, E. B., Huppert, J. D., Tzur, D., Fostick, L., Dinstein, Y., . . . Zohar, J. (2010). Prolonged exposure therapy for combat-and terror-related posttraumatic stress disorder: a randomized control comparison with treatment as usual. *The Journal of clinical psychiatry*.

Clinical trials: Cognitive therapy and Cognitive Processing Therapy

- Chard, K. M., Schumm, J. A., Owens, G. P., & Cottingham, S. M. (2010). A comparison of OEF and OIF veterans and Vietnam veterans receiving cognitive processing therapy. *Journal of traumatic stress*, 23(1), 25-32.
- Duffy, M., Gillespie, K., & Clark, D. M. (2007). Post-traumatic stress disorder in the context of terrorism and other civil conflict in Northern Ireland: randomised controlled trial. *BMJ*, 334(7604), 1147.
- Ehlers, A., Clark, D. M., Hackmann, A., Grey, N., Liness, S., Wild, J., . . . McManus, F. (2010). Intensive cognitive therapy for PTSD: A feasibility study. *Behavioural and Cognitive Psychotherapy*, 38(04), 383-398.
- Ehlers, A., Clark, D. M., Hackmann, A., McManus, F., & Fennell, M. (2005). Cognitive therapy for post-traumatic stress disorder: development and evaluation. *Behaviour research and therapy*, 43(4), 413-431. doi: 10.1016/j.brat.2004.03.006
- Ehlers, A., Clark, D. M., Hackmann, A., McManus, F., Fennell, M., Herbert, C., & Mayou, R. (2003). A randomized controlled trial of cognitive therapy, a self-help booklet, and repeated assessments as early interventions for posttraumatic stress disorder. *Archives of General Psychiatry*, 60(10), 1024.
- Foa, E. B., & Rauch, S. A. M. (2004). Cognitive Changes During Prolonged Exposure Versus Prolonged Exposure Plus Cognitive Restructuring in Female Assault Survivors With Posttraumatic Stress Disorder. *Journal of Consulting and Clinical Psychology*, 72(5), 879-884. doi: 10.1037/0022-006x.72.5.879
- Gillespie, K., Duffy, M., Hackmann, A., & Clark, D. M. (2002). Community based cognitive therapy in the treatment of post-traumatic stress disorder following the Omagh bomb. *Behaviour research and therapy*, 40(4), 345-357.

- Iverson, K. M., Resick, P. A., Suvak, M. K., Walling, S., & Taft, C. T. (2011). Intimate Partner Violence Exposure Predicts PTSD Treatment Engagement and Outcome in Cognitive Processing Therapy. *Behavior therapy*.
- Monson, C. M., Schnurr, P. P., Resick, P. A., Friedman, M. J., Young-Xu, Y., & Stevens, S. P. (2006). Cognitive processing therapy for veterans with military-related posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology*, 74(5), 898-907. doi: 10.1037/0022-006x.74.5.898
- Nishith, P., Resick, P. A., & Griffin, M. G. (2002). Pattern of change in prolonged exposure and cognitive-processing therapy for female rape victims with posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology*, 70(4), 880-886. doi: 10.1037/0022-006x.70.4.880
- Resick, P. A., Galovski, T. E., Uhlmanniek, M. O. B., Scher, C. D., Clum, G. A., & Young-Xu, Y. (2008). A randomized clinical trial to dismantle components of cognitive processing therapy for posttraumatic stress disorder in female victims of interpersonal violence. *Journal of Consulting and Clinical Psychology*, 76(2), 243-258. doi: 10.1037/0022-006x.76.2.243
- Resick, P. A., Nishith, P., Weaver, T. L., Astin, M. C., & Feuer, C. A. (2002). A comparison of cognitive-processing therapy with prolonged exposure and a waiting condition for the treatment of chronic posttraumatic stress disorder in female rape victims. *Journal of Consulting and Clinical Psychology*, 70(4), 867-879. doi: 10.1037/0022-006x.70.4.867
- Tarrier, N., Pilgrim, H., Sommerfield, C., Faragher, B., Reynolds, M., Graham, E., & Barrowclough, C. (1999). A randomized trial of cognitive therapy and imaginal exposure in the treatment of chronic posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology*, 67(1), 13.

Relevance of neuroimaging data for CBT research and clinical practice

- Beauregard, M. (2007). Mind does really matter: Evidence from neuroimaging studies of emotional self-regulation, psychotherapy, and placebo effect. [Review]. *Progress in Neurobiology*, 81(4), 218-236. doi: 10.1016/j.pneurobio.2007.01.005
- Brewin, C. R., Gregory, J. D., Lipton, M., & Burgess, N. (2010). Intrusive images in psychological disorders: Characteristics, neural mechanisms, and treatment implications. *Psychological Review*, 117(1), 210.
- Felmingham, K., Kemp, A., Williams, L., Das, P., Hughes, G., Peduto, A., & Bryant, R. (2007). Changes in anterior cingulate and amygdala after cognitive behavior therapy of posttraumatic stress disorder. *Psychological Science*, 18(2), 127-129.
- Frewen, P. A., Dozois, D. J. A., & Lanius, R. A. (2008). Neuroimaging studies of psychological interventions for mood and anxiety disorders: Empirical and methodological review. [Article]. *Clinical Psychology Review*, 28(2), 228-246. doi: 10.1016/j.cpr.2007.05.002
- Frewen, P. A., Dozois, D. J. A., & Lanius, R. A. (2010). Neuroimaging Studies of Psychological Interventions for Mood and Anxiety Disorders: Empirical and Methodological Review. *Focus*, 8(1), 92.
- Linden, D. E. J. (2006). How psychotherapy changes the brain - the contribution of functional neuroimaging. *Mol Psychiatry*, 11(6), 528-538.

Roffman, J. L., Marci, C. D., Glick, D. M., Dougherty, D. D., & Rauch, S. L. (2005). Neuroimaging and the functional neuroanatomy of psychotherapy. [Review]. *Psychological Medicine*, 35(10), 1385-1398. doi: 10.1017/s0033291705005064

Fear conditioning and extinction

- Alvarez, R. P., Biggs, A., Chen, G., Pine, D. S., & Grillon, C. (2008). Contextual fear conditioning in humans: Cortical-hippocampal and amygdala contributions. [Article]. *Journal of Neuroscience*, 28(24), 6211-6219. doi: 10.1523/jneurosci.1246-08.2008
- Blechert, J., Michael, T., Vriendt, N., Margraf, J., & Wilhelm, F. H. (2007). Fear conditioning in posttraumatic stress disorder: evidence for delayed extinction of autonomic, experiential, and behavioural responses. *Behav Res Ther*, 45(9), 2019-2033.
- Bremner, J. D., Vermetten, E., Schmahl, C., Vaccarino, V., Vytlalingam, M., Afzal, N., . . . Charney, D. S. (2005). Positron emission tomographic imaging of neural correlates of a fear acquisition and extinction paradigm in women with childhood sexual-abuse-related post-traumatic stress disorder. *Psychol Med*, 35(6), 791-806.
- Guthrie, R. M., & Bryant, R. A. (2006). Extinction learning before trauma and subsequent posttraumatic stress. *Psychosom Med*, 68(2), 307-311. doi: 68/2/307 [pii]
- Etkin, A., & Wager, T. D. (2007). Functional Neuroimaging of Anxiety: A Meta-Analysis of Emotional Processing in PTSD, Social Anxiety Disorder, and Specific Phobia. *Am J Psychiatry*, 164(10), 1476-1488. doi: 10.1176/appi.ajp.2007.07030504
- Kalisch, R., Korenfeld, E., Stephan, K. E., Weiskopf, N., Seymour, B., & Dolan, R. J. (2006). Context-dependent human extinction memory is mediated by a ventromedial prefrontal and hippocampal network. [Article]. *Journal of Neuroscience*, 26(37), 9503-9511. doi: 10.1523/jneurosci.2021-06.2006
- LeDoux, J. E. (2000). Emotion circuits in the brain. *Annual Review of Neuroscience*, 23, 155-184.
- Lanius, R., Vermetten, E., Loewenstein, R., Brand, B., Schmahl, C., Bremner, J., & Spiegel, D. (2010). Emotion Modulation in PTSD: Clinical and Neurobiological Evidence for a Dissociative Subtype. *The American Journal of Psychiatry*, 167(6), 640-647. doi: 10.1300/J229v07n02_02
- Liberzon, I., Sripada, C. S., E. Ronald De Kloet, M. S. O., & Eric, V. (2007). The functional neuroanatomy of PTSD: a critical review *Progress in Brain Research* (Vol. Volume 167, pp. 151-169): Elsevier.
- Linnman, C., Rougemont-Bücking, A., Beucke, J. C., Zeffiro, T. A., & Milad, M. R. (2011). Unconditioned responses and functional fear networks in human classical conditioning. *Behavioural Brain Research*, 221(1), 237-245.
- Milad, M. R., Orr, S. P., Lasko, N. B., Chang, Y., Rauch, S. L., & Pitman, R. K. (2008). Presence and acquired origin of reduced recall for fear extinction in PTSD: results of a twin study. *J Psychiatr Res*, 42(7), 515-520. doi: S0022-3956(08)00026-5 [pii]

- Milad, M. R., Orr, S. P., Pitman, R. K., & Rauch, S. L. (2005). Context modulation of memory for fear extinction in humans. *Psychophysiology*, 42(4), 456-464. doi: PSYP302 [pii]
- Milad, M. R., Pitman, R. K., Ellis, C. B., Gold, A. L., Shin, L. M., Lasko, N. B., . . . Rauch, S. L. (2009). Neurobiological Basis of Failure to Recall Extinction Memory in Posttraumatic Stress Disorder. *Biological Psychiatry*, 66(12), 1075-1082. doi: 10.1016/j.biopsych.2009.06.026
- Orr, S. P., Metzger, L. J., Lasko, N. B., Macklin, M. L., Peri, T., & Pitman, R. K. (2000). De novo conditioning in trauma-exposed individuals with and without posttraumatic stress disorder. [Article]. *Journal of Abnormal Psychology*, 109(2), 290-298.
- Milad, M. R., & Quirk, G. J. (2002). Neurons in medial prefrontal cortex signal memory for fear extinction. *Nature*, 420(6911), 70-74. doi: 10.1038/nature01138 nature01138 [pii]
- Milad, M. R., Quirk, G. J., Pitman, R. K., Orr, S. P., Fischl, B., & Rauch, S. L. (2007). A role for the human dorsal anterior cingulate cortex in fear expression. *Biol Psychiatry*, 62(10), 1191-1194. doi: S0006-3223(07)00401-5 [pii] 10.1016/j.biopsych.2007.04.032
- Phelps, E. A., Delgado, M. R., Nearing, K. I., & LeDoux, J. E. (2004). Extinction learning in humans: role of the amygdala and vmPFC. *Neuron*, 43(6), 897-905. doi: 10.1016/j.neuron.2004.08.042
- Phelps, E. A., & LeDoux, J. E. (2005). Contributions of the amygdala to emotion processing: from animal models to human behavior. *Neuron*, 48(2), 175-187. doi: S0896-6273(05)00823-8 [pii] 10.1016/j.neuron.2005.09.025
- Quirk, G. J., & Milad, M. R. (2010). Neuroscience: Editing out fear. *Nature*, 463(7277), 36-37.
- Rauch, S. L., Shin, L. M., & Phelps, E. A. (2006). Neurocircuitry models of posttraumatic stress disorder and extinction: human neuroimaging research--past, present, and future. *Biol Psychiatry*, 60(4), 376-382. doi: S0006-3223(06)00796-7 [pii] 10.1016/j.biopsych.2006.06.004
- Rougemont-Bücking, A., Linnman, C., Zeffiro, T. A., Zeidan, M. A., Lebron-Milad, K., Rodriguez-Romaguera, J., . . . Milad, M. R. (2011). Altered processing of contextual information during fear extinction in PTSD: An fMRI study. *CNS Neuroscience and Therapeutics*, 17(4), 227-236.
- Wager, T. D., Davidson, M. L., Hughes, B. L., Lindquist, M. A., & Ochsner, K. N. (2008). Prefrontal-subcortical pathways mediating successful emotion regulation. [Article]. *Neuron*, 59(6), 1037-1050. doi: 10.1016/j.neuron.2008.09.006
- Westbrook, F. R., Iordanova, M., McNally, G., Richardson, R., & Harris, J. A. (2002). Reinstatement of fear to an extinguished conditioned stimulus: Two roles for context. [Article]. *Journal of Experimental Psychology-Animal Behavior Processes*, 28(1), 97-110. doi: 10.1037//0097-7403.28.1.97

PTSD Assessment

- Beck, A. T., Steer, R. A., & Garbin, M. G. (1988). Psychometric properties of the Beck Depression Inventory: Twenty-five years of evaluation. *Clinical Psychology Review*, 8, 77-100.
- Brown, T. A., DiNardo, P. A., & Barlow, D. H. (1994). *Anxiety Disorders Interview Schedule for DSM-IV (ADIS-IV)*. San, Antonio, TX: Psychological Corporation.
- First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. W. (2002, November). *Structured Clinical Interview for DSM-IV-TR Axis I Disorders, Research Version, Non-patient Edition (SCID-UNP)*. New York: Biometrics Research, New York State Psychiatric Institute.
- Garner, D. M, Olmsted, M. P., Bohr, Y., & Garfinkel, P. E. (1982). The Eating Attitudes Test: Psychometric features and clinical correlates. *Psychological Medicine*, 12, 871-878.

Moderating variables that may affect patient response to CBT treatment and may inform troubleshooting in conducting exposure treatment

- Cook, J. M., Schnurr, P. P., & Foa, E. B. (2004). Bridging the Gap Between Posttraumatic Stress Disorder Research and Clinical Practice: The Example of Exposure Therapy. *Psychotherapy: Theory, Research, Practice, Training*, 41(4), 374-387. doi: 10.1037/0033-3204.41.4.374
- Doane, L. S., Feeny, N. C., & Zoellner, L. A. (2010). A preliminary investigation of sudden gains in exposure therapy for PTSD. *Behaviour research and therapy*, 48(6), 555-560.
- Feeny, N. C., Hembree, E. A., & Zoellner, L. A. (2004). Myths regarding exposure therapy for PTSD. *Cognitive and Behavioral Practice*, 10(1), 85-90.
- Foa, E. B., Zoellner, L. A., Feeny, N. C., Hembree, E. A., & Alvarez-Conrad, J. (2002). Does imaginal exposure exacerbate PTSD symptoms? *Journal of Consulting and Clinical Psychology*, 70(4), 1022-1028. doi: 10.1037/0022-006x.70.4.1022
- Jaycox, L. H., & Foa, E. B. (1996). Obstacles in implementing exposure therapy for PTSD: Case discussions and practical solutions. *Clinical Psychology & Psychotherapy*, 3(3), 176-184.
- Feinstein, B. A., Humphreys, K. L., Bovin, M. J., Marx, B. P., & Resick, P. A. (2011). Victim-offender relationship status moderates the relationships of peritraumatic emotional responses, active resistance, and posttraumatic stress symptomatology in female rape survivors. *Psychological Trauma: Theory, Research, Practice, and Policy*, 3(2), 192-200. doi: 10.1037/a0021652
- Garcia, H. A., Kelley, L. P., Rentz, T. O., & Lee, S. (2011). Pretreatment predictors of dropout from cognitive behavioral therapy for PTSD in Iraq and Afghanistan war veterans. *Psychological Services*, 8(1), 1.
- Hagenaars, M. A., van Minnen, A., & Hoogduin, K. A. L. (2010). The impact of dissociation and depression on the efficacy of prolonged exposure treatment for PTSD. *Behaviour research and therapy*, 48(1), 19-27.
- Hembree, E. A., Street, G. P., Riggs, D. S., & Foa, E. B. (2004). Do Assault-Related Variables Predict Response to Cognitive Behavioral Treatment for PTSD? *Journal of Consulting and Clinical Psychology*, 72(3), 531-534. doi: 10.1037/0022-006x.72.3.531

- Hembree, E. A., Rauch, S. A. M., & Foa, E. B. (2004). Beyond the manual: The insider's guide to prolonged exposure therapy for PTSD. *Cognitive and Behavioral Practice*, 10(1), 22-30.
- Iverson, K. M., Resick, P. A., Suvak, M. K., Walling, S., & Taft, C. T. (2011). Intimate Partner Violence Exposure Predicts PTSD Treatment Engagement and Outcome in Cognitive Processing Therapy. *Behavior therapy*.
- Lester, K., Artz, C., Resick, P. A., & Young-Xu, Y. (2010). Impact of race on early treatment termination and outcomes in posttraumatic stress disorder treatment. *Journal of Consulting and Clinical Psychology*, 78(4), 480.
- Malcoun, E., Houry, D., Arndt-Jordan, C., Kearns, M. C., Zimmerman, L., Hammond-Susten, M., & Rothbaum, B. O. (2010). Feasibility of identifying eligible trauma patients for posttraumatic stress disorder intervention. *Western Journal of Emergency Medicine*, 11(3), 274.
- Moser, J. S., Cahill, S. P., & Foa, E. B. (2010a). Evidence for Poorer Outcome in Patients With Severe Negative Trauma-Related Cognitions Receiving Prolonged Exposure Plus Cognitive Restructuring: Implications for Treatment Matching in Posttraumatic Stress Disorder. *The Journal of nervous and mental disease*, 198(1), 72-75.
- Moser, J. S., Cahill, S. P., & Foa, E. B. (2010b). Evidence for Poorer Outcome in Patients With Severe Negative Trauma-Related Cognitions Receiving Prolonged Exposure Plus Cognitive Restructuring: Implications for Treatment Matching in Posttraumatic Stress Disorder. *The Journal of nervous and mental disease*, 198(1), 72.
- Taft, C. T., Watkins, L. E., Stafford, J., Street, A. E., & Monson, C. M. (2011). Posttraumatic stress disorder and intimate relationship problems: A meta-analysis. *Journal of Consulting and Clinical Psychology*, 79(1), 22-33. doi: 10.1037/a0022196
- Thrasher, S., Power, M., Morant, N., Marks, I., & Dalgleish, T. (2010). Social support moderates outcome in a randomized controlled trial of exposure therapy and (or) cognitive restructuring for chronic posttraumatic stress disorder. *Canadian journal of psychiatry. Revue canadienne de psychiatrie*, 55(3), 187.
- Van Minnen, A., & Hagaars, M. (2002). Fear activation and habituation patterns as early process predictors of response to prolonged exposure treatment in PTSD. *Journal of Traumatic Stress*, 15(5), 359-367.

Cognitive-behavioral treatments for PTSD: Special populations

- Clapp, J. D., & Beck, J. G. (2011). Treatment of PTSD in Older Adults: Do Cognitive-Behavioral Interventions Remain Viable? *Cognitive and Behavioral Practice*.
- Cloitre, M., Stovall-McClough, K. C., Noonan, K., Zorbas, P., Cherry, S., Jackson, C. L., . . . Petkova, E. (2010). Treatment for PTSD related to childhood abuse: A randomized controlled trial. *American Journal of Psychiatry*, 167(8), 915.
- Hickling, E. J., & Blanchard, E. B. (1997). The private practice psychologist and manual-based treatments: post-traumatic stress disorder secondary to motor vehicle accidents. *Behaviour research and therapy*, 35(3), 191-203.

- Jackson, C., Nissenson, K., & Cloitre, M. (2009). Treatment for complex PTSD. In D. Sookman & R. L. Leahy (Eds.), *Treatment resistant anxiety disorders: Resolving impasses to symptom remission* (pp. 75-104). New York: Routledge.
- Mueser, K. T., Rosenberg, S. D., Xie, H., Jankowski, M. K., Bolton, E. E., Lu, W., . . . Wolfe, R. (2008). A randomized controlled trial of cognitive-behavioral treatment for posttraumatic stress disorder in severe mental illness. *Journal of Consulting and Clinical Psychology*, 76(2), 259.
- Otto, M. W., & Hinton, D. E. (2006). Modifying Exposure-Based CBT for Cambodian Refugees with Posttraumatic Stress Disorder. *Cognitive and Behavioral Practice*, 13(4), 261-270.
- Zoellner, L. A., Feeny, N. C., Fitzgibbons, L. A., & Foa, E. B. (1999). Response of African American and Caucasian Women to Cognitive Behavioral Therapy for PTSD. *Behavior Therapy*, 30(4), 581-595.

CBT for co-occurring substance use disorder and PTSD

- Hien, D. A., Cohen, L. R., Miele, G. M., Litt, L. C., & Capstick, C. (2004). Promising treatments for women with comorbid PTSD and substance use disorders. *American Journal of Psychiatry*, 161(8), 1426-1432.
- Lambert-Harris, C., & Meier, A. (2011). A randomized controlled trial comparing integrated cognitive behavioral therapy versus individual addiction counseling for co-occurring substance use and posttraumatic stress disorders. *Journal of Dual Diagnosis*, 7(4), 207-227.
- McGovern, M. P., Lambert-Harris, C., Acquilano, S., Xie, H., Alterman, A. I., & Weiss, R. D. (2009). A cognitive behavioral therapy for co-occurring substance use and posttraumatic stress disorders. *Addictive behaviors*, 34(10), 892-897.
- McHugh, R. K., Hearon, B. A., & Otto, M. W. (2010). Cognitive behavioral therapy for substance use disorders. *Psychiatric Clinics of North America*, 33(3), 511-525.
- Najavits, L. M., Weiss, R. D., & Liese, B. S. (1996). Group cognitive-behavioral therapy for women with PTSD and substance use disorder. *Journal of Substance Abuse Treatment*, 13(1), 13-22.
- Torchalla, I., Nosen, L., Rostam, H., & Allen, P. (2011). Integrated treatment programs for individuals with concurrent substance use disorders and trauma experiences: A systematic review and meta-analysis. *Journal of Substance Abuse Treatment*.
- Witkiewitz, K., Marlatt, G. A., & Walker, D. (2005). Mindfulness-based relapse prevention for alcohol and substance use disorders. *Journal of Cognitive Psychotherapy*, 19(3), 211-228.

Miscellaneous publications cited in powerpoint that were not included in any other section

- Keane, T. M., & Barlow, D. H. (2002). Posttraumatic stress disorder. In D. H. Barlow, *Anxiety and its disorders: The nature and treatment of anxiety and panic* (2nd ed., pp. 418-453). New York: Guilford Press.

- Liedl, A., O'Donnell, M., Creamer, M., Silove, D., McFarlane, A., Knaevelsrud, C., & Bryant, R. A. (2010). Support for the mutual maintenance of pain and post-traumatic stress disorder symptoms. *Psychological medicine*, 40(07), 1215-1223.
- McGaugh, J. L., & Roozendaal, B. (2002). Role of adrenal stress hormones in forming lasting memories in the brain. [Review]. *Current Opinion in Neurobiology*, 12(2), 205-210.
- McHugh, T., Bates, G., Forbes, D., Hopwood, M., & Creamer, M. Anger in PTSD: Is there a Need for a Concept of PTSD-Related Posttraumatic Anger? *Clinical Psychology Review*(0). doi: 10.1016/j.cpr.2011.07.013
- McEwen, B. S. (2004). Protection and Damage from Acute and Chronic Stress: Allostasis and Allostatic Overload and Relevance to the Pathophysiology of Psychiatric Disorders. *Annals of the New York Academy of Sciences*, 1032(1), 1-7. doi: 10.1196/annals.1314.001
- Orth, U., Cahill, S. P., Foa, E. B., & Maercker, A. (2008). Anger and posttraumatic stress disorder symptoms in crime victims: A longitudinal analysis. *Journal of Consulting and Clinical Psychology*, 76(2), 208-218. doi: 10.1037/0022-006x.76.2.208
- Pineles, S. L., Mostoufi, S. M., Ready, C. B., Street, A. E., Griffin, M. G., & Resick, P. A. (2011). Trauma reactivity, avoidant coping, and PTSD symptoms: A moderating relationship? *Journal of Abnormal Psychology*, 120(1), 240-246. doi: 10.1037/a0022123
- Pavlov, I. P., & Andrep, G. V. (1927). *Conditioned reflexes: an investigation of the physiological activity of the cerebral cortex*. . London: Oxford University Press: Humphrey Milford.
- Schnurr, P. P., Green, B. L., & Kaltman, S. (2007). Trauma exposure and physical health. In M. J. Friedman, T. M. Keane, & P. A. Resick (Eds), *Handbook of PTSD: Science and Practice* (pp. 406 – 424). New York: Guilford Press.

Clinical practice guidelines

Article that examines various guidelines and to compare and contrast their methodologies and recommendations to aid clinicians in making decisions about their use:

- Forbes, D., Creamer, M., Bisson, J. I., Cohen, J. A., Crow, B. E., Foa, E. B., . . . Ursano, R. J. (2010). A guide to guidelines for the treatment of PTSD and related conditions. *Journal of Traumatic Stress*, 23(5), 537-552.

Clinical Practice Guidelines for Posttraumatic Stress Disorder

1. Clinical Practice Guideline for the Management of Post-Traumatic Stress VA/DoD Management of Post-Traumatic Stress Working Group, 2004
(http://www.healthquality.va.gov/Post_Traumatic_Stress_Disorder_PTSD.asp)
2. American Psychiatric Association Practice Guideline for the Treatment of Patients with ASD and PTSD American Psychiatric Association, 2004
(http://www.psychiatryonline.com/pracGuide/pracGuideTopic_11.aspx)

3. UK National Institute for Health and Clinical Excellence (NICE) Guidelines National Institute for Health and Clinical Excellence, 2005 (<http://www.nice.org.uk/Guidance/CG26>)
4. Australian National Health and Medical Research Council (NHMRC) Guidelines Australian Centre for Posttraumatic Mental Health, 2007 (<http://www.nhmrc.gov.au/publications/synopses/mh13syn.htm>)
5. The International Society for Traumatic Stress Studies (ISTSS) Guidelines Foa, Keane, Friedman, & Cohen, 2008 (www.istss.org);
6. American Academy of Child and Adolescent Psychiatry (AACAP) Practice Parameters for PTSD in Children and Adolescents American Academy of Child and Adolescent Psychiatry; Cohen et al., 2010 (<http://www.aacap.org>)
7. Institute of Medicine. (2007). Treatment of PTSD: Assessment of the evidence. The National Academies Press, Washington, DC

Free download: <http://www.iom.edu/Reports/2007/Treatment-of-PTSD-An-Assessment-of-The-Evidence.aspx>

Training Sites

Training modules on PTSD (VA)

<http://www.ptsd.va.gov/professional/ptsd101/course-modules/cbi-for-ptsd.asp>

Computer Programs

FearFighter. Coventry, England, ST Solutions, 1996. Available at: <http://fearfighter.com>. Virtual reality programs by Rothbaum B et al. Decatur, GA, Virtually Better, 1996.

Available at: <http://virtuallybetter.com>.

Websites for obtaining information leaflets for patients

The **Anxiety Disorders Association of British Columbia (AnxietyBC™)** is a non profit organization which was started in early spring of 1999 by a group of concerned consumers, family members, and professionals, who work to increase awareness about anxiety disorders; promote education of the general public, affected persons, and health care providers; and increase access to evidence-based resources and treatments.
<http://www.anxietybc.com/resources/ptsd.php>

National Institute for Health and Clinical Excellence (2005). Post-traumatic stress disorder (PTSD): Information for the public. *Retrieved from:*

<http://www.nice.org.uk/nicemedia/pdf/CG026publicinfo.pdf>

See also resources on websites listed below

Professional Organizations With Special Interest in Cognitive-Behavior Therapy

Academy of Cognitive Therapy (<http://www.academyofct.org>)

Association for Advancement of Behavior Therapy (<http://www.aabt.org>)
British Association for Behavioural and Cognitive Psychotherapies
(<http://www.babcp.com>)

European Association for Behavioural and Cognitive Therapies
(<http://www.eabct.com>)

International Association for Cognitive Psychotherapy
(<http://www.cognitivetherapyassociation.org>)

Treating co-occurring PTSD and substance use disorders

Seeking Safety
<http://www.seekingsafety.org>
<http://www.seekingsafety.org/3-03-06/articles.html>

Miscellaneous articles that I hope you will find helpful!

- Cukor, J., Olden, M., Lee, F., & Difede, J. A. (2010). Evidence - based treatments for PTSD, new directions, and special challenges. *Annals of the New York Academy of Sciences*, 1208(1), 82-89.
- Ehring, T., Ehlers, A., & Glucksman, E. (2008). Do cognitive models help in predicting the severity of posttraumatic stress disorder, phobia, and depression after motor vehicle accidents? A prospective longitudinal study. *Journal of Consulting and Clinical Psychology*, 76(2), 219.
- Ehring, T., Kleim, B., & Ehlers, A. (2011). Combining clinical studies and analogue experiments to investigate cognitive mechanisms in posttraumatic stress disorder. *International Journal of Cognitive Therapy*, 4(2), 165-177.
- Ford, J. D. (2010). Just Think About It: How Can Cognitive Therapy Contribute to the Treatment of Posttraumatic Stress Disorder? *Clinical Psychology: Science and Practice*, 17(2), 128-133.
- Hassija, C. M., & Gray, M. J. (2010). Are Cognitive Techniques and Interventions Necessary? A Case for the Utility of Cognitive Approaches in the Treatment of PTSD. *Clinical Psychology: Science and Practice*, 17(2), 112-127. doi: 10.1111/j.1468-2850.2010.01201.x
- Huppert, J. D., Roth Ledley, D., & Foa, E. B. (2006). The use of homework in behavior therapy for anxiety disorders. *Journal of Psychotherapy Integration*, 16(2), 128-139. doi: 10.1037/1053-0479.16.2.128
- Kazantzis, N., Deane, F. P., & Ronan, K. R. (2000). Homework Assignments in Cognitive and Behavioral Therapy: A Meta-Analysis. *Clinical Psychology: Science and Practice*, 7(2), 189-202.
- Tarrier, N. (2010). The Cognitive and Behavioral Treatment of PTSD, What Is Known and What Is Known to Be Unknown: How Not to Fall Into the Practice Gap. *Clinical Psychology: Science and Practice*, 17(2), 134-143. doi: 10.1111/j.1468-2850.2010.01203.x